

Alexandria Township
242 Little York Mt. Pleasant Road
Milford NJ 08848

Homeowner Pool Certification

Name _____

Address _____

Block _____ Lot _____

In accordance with the N.J.A.C. 5:23-2.23, NO POOL SHALL BE USED IN WHOLE OR PART UNTIL a certificate of approval has been issued by the Construction Official.

I certify that I am the owner of the above referenced pool being built. I further certify that the pool will not be used until a permanent fence/or proper barrier is installed and the Construction Official has issued a Certificate of Approval. Failure to comply will result in a fine up to \$2000.

Owners Signature _____ Print Name _____ Date _____

SWIMMING POOLS, SPAS AND HOT TUBS

An outdoor swimming pool, including an in-ground, aboveground, or on ground pool, hot tub or spa shall be provided with a barrier which shall comply with the following:

The top of the barrier shall be a minimum of 48 inches above ground level. Openings shall not be greater than 4 inches for vertical balusters with horizontal concentrated load of 200 pounds applied on a 1-square-foot area at any point of fence. Maximum mesh size for chain link fence shall not exceed ¼ inches square. Where the barrier is composed of horizontal and vertical members and the distance between the tops of the horizontal members is less than 45 inches (1143), the horizontal members shall be located on the swimming pool side of the fence. Spacing between vertical members shall not exceed 1¼ inches (44mm) in width.

Pedestrian gates shall open outward only, away from the pool, and shall be self-closing with a self-latching device. If the self-latching device is located less than 54 inches from the bottom of the gate then the release mechanism shall be located on the pool side of the gate at least 3 inches below the top of the gate. The gate and the barrier shall not have an opening greater than ½ inch within 18 inches of the release mechanism.

Where an aboveground pool structure is used as a barrier or where the barrier is mounted on top of the pool structure, and the means of access is a ladder or steps, then the ladder or steps shall be surrounded by a barrier which meets the requirements as above. When the ladder or steps are secured, locked or removed, any opening created shall not allow the passage of a 4-inch-diameter.

DIVING BOARD CERTIFICATION

Block _____ Lot _____

Owners Name _____

Address _____

Permit# _____

(check appropriate below)

I certify that the diving board for the swimming pool at above address will be/has been installed in accordance with Section 3109.4(ANSI/NSPI-5) of the current adopted version of the NJ IBC.

I certify that there will **NOT** be a diving board for the swimming pool at above location.

Pool company name _____

Pool company
representative _____ date _____